

J.T. Baker® Brand

High-Purity Solvents and Reagents

Lab-Optimized Performance:
Enhance separation and
reproducibility, and maximize
the sensitivity and detecting
power of your instrumentation



J.T. Baker® high-purity solvents and reagents give you the performance you need - minimizing the risk of contaminants that can limit accuracy while maximizing instrument sensitivity and detection power in key applications:

UHPLC and LC/MS analysis — J.T. Baker® ULTRA LC/MS products are ideal for cutting-edge applications, such as proteomics, pharmacokinetics, clinical research and drug discovery, while J.T. Baker® LC/MS products are function-tested and optimized for minimal impurities and interference-free baselines, giving you performance you can trust.

HPLC analysis — With J.T. Baker® brand HPLC products, you can improve your processes, obtain high selectivity, reproducibility and accuracy of results.

GC analysis — J.T. Baker® solvents and reagents are fully characterized and lot controlled by ECD, FID, or other method-specific detectors to deliver the highest level of purity and lot-to-lot consistency. Low UV absorbance, residue after evaporation and low water levels will create a flat base line and extend column life in demanding gas chromatography analysis.

Spectrometry — J.T. Baker® solvents are manufactured for lot-to-lot consistency, and to minimize contaminants that can interfere with UV, and in some cases IR, spectra, including residue after evaporation, and acid and base concentrations.

J.T.Baker® High-Purity Solvents – Grade Recommendations

| Application | J.T.Baker® BAKER ANALYZED™ HPLC Reagents | J.T.Baker® BAKER ANALYZED™ LC/MS Reagents | J.T.Baker® BAKER ANALYZED™ ULTRA LC/MS Reagents | J.T.Baker® ULTRA RESI- ANALYZED™ Reagents | J.T.Baker® BAKER ANALYZED™ Pesticide Reagents |
|---------------------------|---|--|--|--|--|
| HPLC - Conventional | +++ | + | | | |
| HPLC - QC/QA | +++ | + | | | |
| Gas Chromatography (GC) | | | | +++ | +++ |
| HPLC - Research | +++ | ++ | +++ | | |
| LC/MS - QC/QA | ++ | +++ | + | | |
| LC/MS - Research | | +++ | ++ | | |
| LC/MS - Critical Research | | ++ | +++ | | |
| UHPLC - QC/QA | +++ | + | + | | |
| UHPLC - General Research | +++ | + | +++ | | |
| UHPLC - Critical Research | | + | +++ | | |

+ Suitable

++ Preferred

+++ Ideal

General – Traditional applications where quality is important, primarily assay and UV

Conventional – Does not require extensive characterization of trace metals. Filtration at 0.2 um is sufficient. Assay, UV and RAE (Residue after evaporation) are important specifications. Common in open-access/high-volume laboratories, initial investigations and compound management.

Critical – Requires solvents to have characterization of trace metals, precise function testing and 0.1 um filtration for UHPLC applications. Examples of critical research are work in proteomics, small molecule drug discovery and bioanalysis.

J.T.Baker® High-Purity Solvents – Testing Parameters

| Testing Parameters* | J.T.Baker® BAKER ANALYZED™ HPLC Reagents | J.T.Baker® BAKER ANALYZED™ LC/MS Reagents | J.T.Baker® BAKER ANALYZED™ ULTRA LC/MS Reagents | J.T.Baker® ULTRA RESI- ANALYZED™ Reagents | J.T.Baker® BAKER ANALYZED™ Pesticide Reagents |
|--------------------------------------|---|--|--|--|---|
| Color (APHA) | | X | X | | |
| ECD and/or FID Sensitive Impurities | | | | X | X |
| For Organic Residue Analysis | | | | X | X |
| ESI- Positive mode | | X | X | | |
| ESI- Negative mode | | | X | | |
| Filtered through a 0.1 micron filter | | | X | | |
| Fluorescence Trace Impurities | X | X | X | | |
| Gradient Test | X | X | X | | |
| Residue after Evaporation | X | X | X | X | X |
| Substances Reducing Permanganate | | | | X | |
| Trace Metal Impurities (ppb) | | X | X | | |

* The testing parameters are typical for the grades listed in the table.

For actual testing parameters, please refer to the product specification sheet.



UHPLC and LC/MS Analysis

High-purity J.T.Baker® solvents and blends are specifically designed to ensure optimal instrument performance for LC/UV, LC/MS and Ultra High-Pressure Liquid Chromatography (UHPLC) applications.

The J.T.Baker® ULTRA LC/MS product line was developed for the most demanding UHPLC and mass spectrometry (MS) applications, such as proteomics, drug discovery, pharmacokinetics, and clinical research. ULTRA LC/MS solvents are designed to extend the useful life of UHPLC columns by significantly reducing particles and minimizing the occurrence of erroneous peaks caused by the formation of metal adducts or the presence of organic impurities, such as phthalates or polyethylene glycol.

ULTRA LC/MS products undergo advanced suitability testing with both electrospray positive and negative modes to optimize detection of extraneous organic impurities. The result is minimal baseline noise, reduced ion suppression, and improved sensitivity to both small- and large-molecule detection.

Solvents are packaged in borosilicate bottles to minimize leaching of trace metal impurities over time. That reduces metal adduct formation, improves analyte identification and ensures reliable, consistent and reproducible results.

For more routine applications, J.T.Baker® LC/MS solvents and blends are function-tested and optimized for minimal impurities and interference-free baselines, giving you performance you can trust in the mobile phase — every time.

J.T.Baker® LC/MS solvents and blends are optimized to provide low particulates, polyethylene glycol, phthalates and amides, and extremely low levels of metal ions and non-volatile residue. Products are function tested for LC/MS suitability, ESI+, UV-Vis absorbance, trace metals, residue after evaporation, and assay. Interference-free baselines ensure you can have the highest confidence in solvent performance in your applications.

J.T.Baker® ULTRA LC/MS Products

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|---|------------------------|----------------------------|
| Acetonitrile, Schott® DURAN® Borosilicate glass bottle | 9853-02 | 15578664 |
| Methanol, Schott® DURAN® Borosilicate glass bottle | 9863-02 | 15588664 |
| Water, Schott® DURAN® Borosilicate glass bottle | 9823-02 | 15583985 |
| LC/MS Solvents Kit (2x1 L of Acetonitril LC/MS, Methanol LC/MS and Water ULTRA LC/MS) | 9880-02 | 15527734 |

Schott® is a registered trademark of Schott
DURAN® is a registered trademark of DURAN GROUP GmbH



Selection guide: Application and MS Analyzer ULTRA LC/MS and LC/MS Solvents

| Industry/Application | LC/MS | ULTRA LC/MS Solvents |
|--|-------|----------------------|
| Drug discovery | | X |
| Drug identification | X | X |
| Drug formulation | X | X |
| Biotechnology | X | |
| Food | X | |
| High-end research labs | | X |
| University research | X | X |
| QC testing labs | X | X |
| Mass Spectrometry Analyzer | LC/MS | ULTRA LC/MS Solvents |
| Single Quadrupole | X | |
| Tandem Quadrupole | X | X |
| Ion Trap | | X |
| MALDI-TOF | | X |
| MS-MS Hybrids (Quadrupole Time-of-Flight) | | X |
| FT-ICR (Fourier transform ion cyclotron resonance mass spectrometer) | | X |

J.T.Baker® LC/MS Products

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|--|------------------------|----------------------------|
| Acetonitrile | 9821.2500 | 12608279 |
| Acetonitrile - 0.1% Formic Acid | 9824.2500 | 15593985 |
| Acetonitrile - 0.1% Trifluoroacetic Acid | 9837.2500 | 12725910 |
| Ethyl Acetate | 9828-03 | 15538664 |
| Methanol | 9822.2500 | 15514065 |
| Water - 0.1% Formic Acid | 9826.2500 | 15503995 |
| Water - 0.1% Trifluoroacetic Acid | 9838.2500 | 15517734 |
| LC/MS Acids | | |
| Formic Acid - 2x1ml ampoules | 9820.0010 | 15508664 |
| Trifluoroacetic Acid - 10x1ml ampoules | 9810.0010 | 15598654 |

Multiple package sizes are available. Contact your sales representative for details.

High Performance Liquid Chromatography (HPLC) Analysis

Liquid chromatography (LC) is the most widely used chromatographic technique in most laboratories. For optimum HPLC performance, you need the right solvents and reagents.

J.T.Baker® HPLC products are designed to provide rapid, reproducible performance and separation. For critical HPLC applications, J.T.Baker® solvents and modifiers are the preferred choice for chemists around the world, enabling optimum instrument performance and sensitivity.

J.T.Baker® BAKER ANALYZED™ HPLC Solvents

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|--------------------------------------|------------------------|----------------------------|
| Acetone | 8142.2500 | 10281291 |
| Acetonitrile | 8257.2500 | 10444621 |
| Acetonitrile, Far UV Gradient Grade | 9012.2500 | 13265493 |
| Acetonitrile, Ultra Gradient Grade | 9017.2500 | 10231461 |
| Chloroform (Hydrocarbon Stabilized) | 9174.2500 | 10078140 |
| Chloroform (Ethanol Stabilized) | 9175-02 | 15558534 |
| Cyclohexane | 9292-03 | 15578564 |
| o-Dichlorobenzene | 9233-03 | 15369034 |
| Dichloromethane (Stabilized Amylene) | 9410.2500 | 15594055 |
| Ether, Anhydrous | 9237-03 | 15518554 |
| Ethyl Acetate | 9282-03 | 15443224 |
| n-Heptane | 9177-68 | 15578534 |
| Hexanes (95% n-Hexane) | 9304.2500 | 10304261 |
| Isobutyl Alcohol | 9048-03 | 15588514 |
| Methanol | 8404.2500 | 10251061 |
| Methanol, Ultra Gradient Grade | 8402.2500 | 10037550 |
| Methyl tert-Butyl Ether | 9042-02 | 10222271 |
| Methyl Ethyl Ketone | 9214-03 | 15548544 |
| Pentane | 9331-68 | 15578574 |
| 2-Propanol | 9095.2500 | 15564055 |
| Pyridine, Low Water | 9393-02 | 15548604 |
| Tetrahydrofuran | 9441.2500 | 10461003 |
| Tetrahydrofuran (Stabilized) | 9440-03 | 15558614 |
| Tetrahydrofuran, Low Water | 9439-12 | 15364536 |
| Toluene | 9351.1000 | 10098810 |
| 1,2,4-Trichlorobenzene | 9444-05 | 15568614 |
| 2,2,4-Trimethylpentane | 9480.2500 | 10233011 |
| Water | 4218.2500 | 10546602 |

Multiple package sizes are available. Contact your sales representative for details.

J.T.Baker® HPLC solvents are manufactured using multi-step purification processes that produce reliable, low backgrounds free of extraneous peaks. Products are function tested for assay, water, residue after evaporation, and UV absorbance and fluorescence in critical ranges.

Selected J.T.Baker® HPLC acids, bases and ion pair reagents enhance the usefulness of HPLC as an analytical technique. Products are controlled for solubility in aqueous and organic solutions, UV transparency for optimum sensitivity, and metallic impurities that can affect biological activity.

J.T.Baker® HPLC Acids, Salts and Ion-Pair Reagents

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|--|------------------------|----------------------------|
| Acids | | |
| Trifluoroacetic Acid | 9470.2010 | 15538624 |
| Acetic Acid, Glacial | 9515-03 | 15541152 |
| Salts | | |
| Ammonium Acetate | 0599-08 | 15513351 |
| Ammonium Phosphate Monobasic | 0777-08 | 15537864 |
| Sodium Acetate Trihydrate | 0393.1000 | 10060480 |
| Ion-Pair Reagents | | |
| 1-Heptanesulfonic Acid Sodium Salt | 2173-01 | 15547984 |
| 1-Hexanesulfonic Acid Sodium Salt | 2175-01 | 15115184 |
| 1-Octanesulfonic Acid Sodium Salt | 2818-01 | 15578054 |
| 1-Pentanesulfonic Acid Sodium Salt Monohydrate | 2841-05 | 10688624 |
| Tetrabutylammonium Hydrogen Sulfate (98%) | V360-07 | 15598904 |
| Tetrabutylammonium Hydroxide, Titrant (0.4M in H ₂ O) | V365-07 | 15568834 |
| Tetrabutylammonium Hydroxide in Water | 9580-03 | 15568834 |
| Tetrabutylammonium Phosphate | V375-03 | 15578834 |

Multiple package sizes are available. Contact your sales representative for details.

Gas Chromatography

The rigorous demands of EPA extraction/concentration protocols inspired the development of J.T.Baker® brand solvents for GC analysis. J.T.Baker® solvents are designed, manufactured and tested to provide the best performance for any GC application. They are tested and controlled for optimum purity and lot-to-lot consistency for reproducible results.

J.T.Baker® ULTRA RESI-ANALYZED™ solvents start with the purest raw materials available. They pass through a combination of chemical and non-chemical purification technologies that remove reactive solvent impurities and produce higher assays and narrow solvent fronts. Then, they are packaged to maintain purity. A unique stabilizer system provides unmatched product stability and interference-free results.

Products are function-tested on high resolution capillary GC instruments and proven suitable to the ppt/ppb level on both ECD and FID detectors. J.T.Baker® ULTRA RESI-ANALYZED™ solvents are tested to meet EPA requirements for extraction/concentration procedures and AOAC requirements for pesticide residue analysis. They are also performance-tested to purity levels below the Lower Level of Quantitation (LLQ) for trace analyte detection by standard EPA methods.

J.T.Baker® BAKER ANALYZED™ GC-HC Reagents are appropriate for more sensitive GC-headspace analysis of volatile organic impurities. Each solvent is tested to ensure optimal purity performance. Certificates of analysis include exact marked impurities.



J.T.BAKER® ULTRA RESI-ANALYZED™ Solvents and Reagents

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|----------------------------------|------------------------|----------------------------|
| Solvents | | |
| Acetone | 9254.2500 | 10465651 |
| Acetonitrile | 9255-02 | 15588554 |
| Chloroform (Stabilized) | 9257-03 | 15508564 |
| Cyclohexane | 9258.2500 | 10035161 |
| Dichloromethane | 9264.2500 | 10709131 |
| Ether | 9259-02 | 15518564 |
| Ethyl Acetate | 9260.2500 | 10313961 |
| N-Heptane | 9338-22 | 15568584 |
| Hexane (95% n-Hexane) | 9262.2500 | 10423731 |
| Hexane (99% n-Hexane) | N168-08 | 15518474 |
| Iso-Hexane | 9267.2500 | 15558564 |
| Methanol (Purge & Trap) | 9077-02 | 15554055 |
| Methanol | 9263.2500 | 10284591 |
| Methyl tert-Butyl Ether | 9043-02 | 15558514 |
| N-Pentane | 9333-02 | 15588574 |
| Petroleum Ether 30°-60°C | 9265.2500 | 10190081 |
| 2-Propanol | 9334-03 | 15598574 |
| Tetrachloroethylene (Stabilized) | 9360-03 | 15107193 |
| Toluene | 9336.2500 | 15548584 |
| 2,2,4-Trimethylpentane | 9335-03 | 15518584 |
| Water | 4219-03 | 15334575 |
| Salts | | |
| Sodium Sulfate Anhydrous | 3375-01 | 15528124 |

Multiple package sizes are available. Contact your sales representative for details.

J.T.BAKER® BAKER ANALYZED™ GC-HS Reagents

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|---------------------------|------------------------|----------------------------|
| DMF-N,N-dimethylformamide | 9753.1000 | 15558654 |
| DMSO-dimethyl sulfoxide | 9754.1000 | 15568654 |
| DMA-N,N-dimethylacetamide | 9755.1000 | 15578654 |

Multiple package sizes are available. Contact your sales representative for details.

J.T.Baker® BAKER ANALYZED™ pesticide reagents are specially developed for use in evaluation of pesticide (and insecticide) residue in food, feed, water or soil samples. The solvents are suitable for all analysis of common pesticides, such as 2-chlorobiphenyl, Heptachlor, Aldrin, Parathion, Dieldrin, Endrin, DDT, Dioxine, etc.

They are specified to the required low residue levels (5 ppm) for use in research and quality control laboratories.



J.T.Baker® BAKER ANALYZED™ Pesticide Reagents

| Description | Avantor Product Number | Fisher Scientific Cat. No. |
|---------------------------------|------------------------|----------------------------|
| Acetone | 5276.2500 | 15253388 |
| Acetonitrile | 5283.2500 | 15273488 |
| Chloroform (Stabilized Ethanol) | 5285.2500 | 15508334 |
| Cyclohexane | 5278.2500 | 15272158 |
| Methylene Chloride (Stabilized) | 5275.2500 | 15203498 |
| Ether | 8467.2500 | 15588474 |
| Ethyl Acetate | 5277.2500 | 15232178 |
| Heptane, 95% | 8472.2500 | 15508484 |
| Methanol | 5279.2500 | 15263498 |
| n-Hexane (95% n-Hexane) | 5274.2500 | 5274.2500 |
| n-Hexane, 99% | 8473.2500 | 15243538 |
| n-Pentane | 5281.2500 | 15598324 |
| 2,2,4-Trimethylpentane | 8469.2500 | 15227929 |
| Petroleum Ether 40°-60°C | 5280.2500 | 15524055 |
| 2-propanol | 8468.2500 | 15283528 |
| Toluene | 8470.2500 | 15598474 |

Multiple package sizes are available. Contact your sales representative for details.

Also available:
J.T.Baker® product portfolio

Solid-phase extraction – J.T.Baker® silica- and polymer-based BAKERBOND™ SPE columns and high performance BAKERBOND Speedisk™ columns and disks improve and simplify sample clean-up and concentration.

Dissolution Testing Media – J.T.Baker® dissolution media concentrates are produced in accordance with USP guidelines and containers are filled to +/- 0.5% of target fill volumes to ensure consistent, reproducible results every time. Reduce average prep time by more than 75%. Just add purified water and begin testing.

Trace metal analysis reagents – A full range of products to prepare your samples with the utmost consistency, highest purity and stability, are offered in three grades — ppt, ppb or ppm trace metal acids.

Biopharmaceutical Solvents — Sophisticated reagents proven to expand process control, reduce variables, maximize coupling efficiencies and boost yields

Bioreagents — High-purity reagents tested for use in biotechnology applications, such as electrophoresis, and liquid chromatography

General reagents – J.T.Baker® BAKER ANALYZED™ ACS solvents, acids, salts and solutions provide very high characterization and purity.



Avantor Performance Materials, Inc.

www.avantormaterials.com

+48 32 23 92 312

© 2016 Thermo Fisher Scientific Inc. All rights reserved.
Trademarks used are owned as indicated at www.fishersci.com/trademarks.

Austria: +43(0)800-20 88 40 **Belgium:** +32 (0)56 260 260 **Denmark:** +45 70 27 99 20
Germany: +49 (0)2304 9325 **Ireland:** +353 (0)1 885 5854 **Italy:** +39 02 950 59 478
Finland: +358 (0)9 8027 6280 **France:** +33 (0)3 88 67 14 14 **Netherlands:** +31 (0)20 487 70 00
Norway: +47 22 95 59 59 **Portugal:** +351 21 425 33 50 **Spain:** +34 902 239 303
Sweden: +46 31 352 32 00 **Switzerland:** +41 (0)56 618 41 11 **UK:** +44 (0)1509 555 500



A Thermo Fisher Scientific Brand